

MAR 09 2005

Mark Lindsey
Patent Agent
One Becton Drive, MC110
Franklin Lakes, New Jersey 07417-1880
Phone: 201.847.6262
Fax: 201.848.9228
E-Mail: mark_lindsey@bd.com

FAX**BD**Helping all people
live healthy lives

Attention: Commissioner for Patents
Company: United States Patent and Trademark Office
Fax number: (703) 872-9306
From: Ursula Polignone for MARK LINDSEY
Date: March 9, 2005
Number of Pages (including this cover):
If you do not receive all of the pages, please call: Ursula Polignone 201- 847-5728

Applicant(s):	Steven Keith	Atty. Docket No.:	P-2776P1P1P1
Serial No.:	09/966,505	Group Art Unit:	1651
Filed:	September 28, 2001	Examiner:	Gitomer
For:	Methods for Improving Sensitivity of Oxygen Biosensors		

The following documents are attached to this facsimile:

1. Response to Office Action Mailed September 9, 2004 – 11 pages
2. Petition for Three Month Extension – 1 page

Confidential

The pages accompanying this transmission contain or may contain information from BD (Becton, Dickinson and Company) which is confidential, proprietary and/or legally privileged. The information is intended only for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying distribution or taking of any action in reliance on the contents of this transmission is strictly prohibited, and the pages received by you are to be destroyed immediately. In this regard, please notify the sender of this transmission that you have received the transmission in error and have destroyed the pages sent.

If you do not receive all of the pages, please call as soon as possible, via direct fax line indicated above or by telephone to the sender indicated above.

Becton, Dickinson and Company

Doc#89963

MAR 09 2005

PATENT
P-2776P1P1P1IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No. 09/966,505 Confirmation No.: 5310
Applicant(s) Steven C. Keith
Filed: September 28, 2001
Group Art Unit: 1651
Examiner: Ralph J. Gitomer
Docket: P-2776P1P1P1
Customer No.: 26253
Title: Methods For Improving Sensitivity Of Oxygen Biosensors

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING FAXED (703) 872-9306 TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450	
BY: <u>MARK LINDSEY</u> (NAME)	
<u>M. Lindsey</u> (SIGNATURE)	<u>3/9/05</u> (DATE)

RESPONSE TO OFFICE ACTION

In response to the Office Action mailed September 9, 2004, the period for response having been extended three months by the filing of an extension of time herewith, please amend the above-identified application as set forth herein.

Amendments to the Claims begin on page 2 of this paper.

Remarks begin on page 6 of this paper.